

LA COLORADA PROJECT - SUMMARY OF RESULTS

Cutoff 0.25ppm Au

Intervals were averaged with a limit of two consecutive barren samples

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
------------	--------	------	----------	--------	--------

EL CRESTÓN PIT / SOUTH VEIN CONFIRMATION / ON RAMP

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R29	10.67	15.24	4.57	0.40	5.33
R30	15.24	22.86	7.62	0.32	11.30
R31	36.58	45.72	9.14	0.27	2.43
R32	1.52	4.57	3.05	0.26	8.20
and	16.76	27.43	10.67	1.34	6.09
R33	3.05	18.29	15.24	0.26	4.94
R34	4.47	15.24	10.77	0.41	14.04
and	38.10	41.15	3.05	5.55	4.10

EL CRESTÓN PIT / ON-STRIKE CONFIRMATION SE EDGE OF PIT

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R36	4.57	7.62	3.05	1.50	4.35
and	41.15	44.20	3.05	2.05	6.45
R38	0.00	1.52	1.52	0.53	2.50

EL CRESTÓN PIT / VEIN SOUTH FROM SOUTHERN PIT WALL

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R23	7.62	9.14	1.52	0.57	0.50
and	15.24	24.38	9.14	0.28	6.18
R27	12.19	16.76	4.57	0.40	12.87
R28	9.14	10.67	1.52	0.27	4.80
and	12.19	13.72	1.52	0.32	2.10
R41	9.14	13.72	4.58	1.14	4.30
and	32.00	33.53	1.53	0.34	9.20
R42	10.67	12.19	1.52	0.36	5.40

EL CRESTÓN PIT / BOTTOM OF THE PIT

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R106	22.86	24.38	1.52	0.33	8.50
and	35.05	39.62	4.57	0.30	0.90
and	54.86	56.39	1.52	0.35	0.50
and	79.25	80.77	1.52	0.26	3.70

R107	30.48	32.00	1.52	0.38	1.60
-------------	-------	-------	------	------	------

R108	41.15	42.67	1.52	0.26	1.10
and	56.39	57.91	1.52	3.17	1.30

R109	1.52	3.05	1.52	0.31	3.60
and	33.53	35.05	1.52	0.44	23.80
and	47.24	48.77	1.52	0.40	15.00
and	56.39	57.91	1.52	0.63	5.30
and	62.48	64.01	1.52	1.01	4.00
and	64.01	65.53	1.52	13.41	14.90
and	76.20	77.72	1.52	0.70	6.90

R110	7.62	10.67	3.05	0.63	73.00
and	28.96	30.48	1.52	0.51	70.00

R111	3.05	7.62	4.57	1.14	12.00
and	21.34	24.38	3.05	0.68	12.50

LA COLORADA PROJECT - SUMMARY OF RESULTS

Cutoff 0.25ppm Au

Intervals were averaged with a limit of two consecutive barren samples

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R115	10.67	18.29	7.62	4.86	16.78
including	13.72	15.24	1.52	22.56	44.00
and	39.62	41.15	1.52	0.94	9.30
and	67.05	74.67	7.62	1.60	9.88
including	67.05	68.58	1.52	4.79	19.70
and	91.44	100.58	9.14	1.01	7.18
and	131.06	132.59	1.52	0.40	1.30
and	143.25	149.35	6.10	0.40	2.95
and	160.02	163.07	3.05	1.68	7.35
including	161.54	163.07	1.52	3.01	6.80

R116	32.00	33.53	1.52	1.83	11.00
and	41.15	48.77	7.62	0.58	9.72
and	54.86	57.91	3.05	3.42	6.00
and	57.91	59.44	1.52	106.18	28.80
and	59.44	68.58	9.14	0.44	7.53
and	79.25	80.77	1.52	0.65	3.10
and	86.87	91.44	4.57	0.52	2.27
and	112.78	114.30	1.52	0.95	3.80

R117	6.10	7.62	1.52	0.57	4.10
-------------	------	------	------	------	------

EL CRESTÓN PIT / NW RAMP

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R21	126.49	131.06	4.57	3.17	109.83
including	126.49	128.02	1.52	0.25	27.00
including	128.02	129.54	1.52	8.79	270.10
including	129.54	131.06	1.52	0.46	32.40

R22	202.69	204.22	1.52	0.26	20.20
------------	--------	--------	------	------	-------

10-LCOL-R131	141.73	146.30	4.57	0.54	36.87
and	153.92	155.45	1.52	1.03	96.00
and	160.02	169.16	9.14	0.62	55.62
and	231.65	237.74	6.10	1.12	150.40
including	233.17	234.70	1.52	3.01	328.60
and	265.18	278.89	13.72	1.93	56.64
including	268.22	271.27	3.05	5.93	120.00
and	297.18	300.23	3.05	0.40	202.90

LA COLORADA PIT / EAST, ON-STRIKE CONFIRMATION

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R18	135.64	137.16	1.52	0.40	4.00
and	146.30	147.83	1.52	1.48	3.80
and	160.02	161.54	1.52	0.34	0.80
and	172.21	173.74	1.52	0.48	0.50
and	181.36	182.88	1.52	1.33	0.80
and	196.60	199.64	3.05	1.86	2.15
and	204.22	205.74	1.52	0.40	1.30
and	245.36	246.89	1.52	0.27	8.50

R49	0.00	9.14	9.14	0.26	3.95
and	59.44	68.58	9.14	0.91	1.72

LA COLORADA PROJECT - SUMMARY OF RESULTS

Cutoff 0.25ppm Au

Intervals were averaged with a limit of two consecutive barren samples

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R51	19.81	21.34	1.52	1.06	3.20
and	47.24	57.91	10.67	0.60	3.91

R52	0.00	1.52	1.52	0.32	5.00
and	7.62	22.86	15.24	0.28	6.61
and	32.00	33.53	1.52	0.27	8.80
and	50.29	51.82	1.52	0.49	2.40

R53	41.15	42.67	1.52	0.35	4.80
and	77.72	79.25	1.52	1.28	0.50

R54	21.34	22.86	1.52	0.28	1.20
------------	-------	-------	------	------	------

R55	9.14	16.76	7.62	1.27	4.58
------------	------	-------	------	------	------

LA VERDE / EXPLORATION

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R01	0.00	6.10	6.10	1.27	21.97
and	32.00	33.53	1.52	1.23	1.05
and	53.34	54.86	1.52	3.39	32.30
note	from 54.34 to 54.86 there was no recovery				
and	56.39	60.96	4.57	2.78	16.10

R02	6.10	7.62	1.52	0.30	7.19
and	18.29	19.81	1.52	0.43	10.05

R04	124.97	126.49	1.52	0.29	12.25
and	134.11	135.64	1.52	1.16	177.00

R05	6.10	7.62	1.52	0.42	21.80
------------	------	------	------	------	-------

R07	79.25	83.82	4.57	10.36	5.71
including	79.25	80.77	1.52	30.20	4.05
including	80.77	82.30	1.52	0.19	5.82
including	82.30	83.82	1.52	0.67	7.25

R08	92.96	94.49	1.52	0.35	5.67
------------	-------	-------	------	------	------

R56	0.00	4.57	4.57	0.60	1.40
------------	------	------	------	------	------

R57	15.24	16.76	1.52	0.29	2.00
and	21.34	25.91	4.57	36.33	83.97
including	21.34	22.86	1.52	93.05	82.00
including	22.86	24.38	1.52	13.99	21.90
including	24.38	25.91	1.52	1.95	148.00

R58	0.00	4.57	4.57	0.37	6.00
and	13.72	15.24	1.52	0.67	14.40
and	19.81	27.43	7.62	1.60	20.48
including	22.86	24.38	1.52	3.03	29.50

R59	3.05	6.10	3.05	0.59	5.10
------------	------	------	------	------	------

R60	0.00	7.62	7.62	1.57	13.64
and	24.38	25.91	1.52	0.48	5.60

LA COLORADA PROJECT - SUMMARY OF RESULTS

Cutoff 0.25ppm Au

Intervals were averaged with a limit of two consecutive barren samples

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
and	28.96	30.48	1.52	4.17	18.50
and	47.24	48.77	1.52	1.75	1.60
R61	24.38	25.91	1.52	0.27	5.00
R99	4.57	13.72	9.14	0.53	2.92
R100	0.00	3.05	3.05	0.40	2.55
and	10.67	21.34	10.67	0.69	8.66
R101	0.00	3.05	3.05	0.42	1.55
and	6.10	7.62	1.52	1.15	2.60
R102	45.72	47.24	1.52	0.39	2.10
R103	0.00	3.05	3.05	0.71	8.80
and	9.14	15.24	6.10	2.98	29.70
including	10.67	13.72	3.05	5.21	49.60
R104	0.00	12.19	12.19	1.54	9.54
and	50.29	51.82	1.52	0.57	0.40
R105	3.05	13.72	10.67	0.75	6.90
R112	4.57	7.62	3.05	0.27	0.70
and	36.58	38.10	1.52	0.54	2.20
and	41.15	42.67	1.52	2.19	2.80
R113	13.72	15.24	1.52	0.34	1.80
R114				NSM	NSM
R125	1.52	3.05	1.52	1.14	0.60
R126	0.00	6.10	6.10	1.01	6.40
and	12.19	13.72	1.52	0.54	8.50
and	33.53	36.58	3.05	0.35	0.80
NE EXTENSION CRESTON / EXPLORATION					
Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R03	123.44	128.02	4.57	177.18	31.58
including	123.44	124.97	1.52	518.00	89.00
including	124.97	126.49	1.52	0.93	3.42
including	126.49	128.02	1.52	12.60	2.31
R06	32.00	33.53	1.52	5.93	2.80
and	57.91	59.44	1.52	2.19	3.87
R13	137.16	138.68	1.52	2.45	12.30
R63	24.38	25.91	1.52	0.99	12.10
R114				NSM	NSM

LA COLORADA PROJECT - SUMMARY OF RESULTS

Cutoff 0.25ppm Au

Intervals were averaged with a limit of two consecutive barren samples

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
VETA MADRE / EXPLORATION					
Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R09	36.58	38.10	1.52	0.26	0.93
and	54.86	56.39	1.52	0.25	2.75
and	59.44	60.96	1.52	0.59	1.38
and	76.20	77.72	1.52	0.34	2.17
and	83.82	85.34	1.52	0.32	17.60
and	88.39	89.92	1.52	0.25	2.83
and	102.11	103.63	1.52	0.40	19.45

R10	19.81	30.48	10.67	0.71	2.61
including	22.86	24.38	1.52	1.73	2.46
including	24.38	25.91	1.52	2.33	2.76
and	36.58	39.62	3.05	0.73	11.66
and	48.77	50.29	1.52	0.37	3.30

R11	1.52	45.72	44.20	0.64	7.52
including	7.62	9.14	1.52	1.90	22.60
including	12.19	13.72	1.52	1.78	7.77

R65	19.81	27.43	7.62	0.45	3.32
------------	-------	-------	------	------	------

R66	0.00	25.91	25.91	0.81	3.55
and	30.48	32.00	1.52	0.48	1.40

R67	4.57	13.72	9.15	0.36	1.10
and	13.72	15.24	1.52	5.31	3.20
and	19.81	21.34	1.52	0.28	0.90

R69	3.05	28.96	25.91	0.59	2.15
and	35.05	36.58	1.53	0.33	1.50
and	44.20	45.72	1.52	0.30	0.80

R70	10.67	16.76	6.09	0.40	0.74
and	30.48	32.00	1.52	0.29	0.10

R90	4.57	60.96	56.39	0.53	4.53
and	65.53	70.10	4.57	0.55	4.80

R91	0.00	25.91	25.91	1.08	2.94
------------	------	-------	-------	------	------

R92	12.19	36.58	24.38	1.83	12.44
including	18.29	19.81	1.52	3.69	15.80
including	24.38	25.91	1.52	7.11	11.80
including	28.96	30.48	1.52	4.66	49.00

R93	0.00	3.05	3.05	0.27	5.85
and	6.10	7.62	1.52	1.62	13.10
and	9.14	16.76	7.62	0.41	7.73
and	30.48	36.58	6.10	0.83	12.85

R94	0.00	39.62	39.62	1.11	2.68
including	19.81	21.34	1.52	5.13	8.60

R95	0.00	28.96	28.96	1.07	2.38
------------	------	-------	-------	------	------

LA COLORADA PROJECT - SUMMARY OF RESULTS

Cutoff 0.25ppm Au

Intervals were averaged with a limit of two consecutive barren samples

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
including	13.72	15.24	1.52	6.58	5.40

R96	32.00	41.15	9.14	1.12	2.93
------------	-------	-------	------	------	------

R97	13.72	42.67	28.96	0.89	4.82
------------	-------	-------	-------	------	------

R98	3.05	6.10	3.05	1.06	1.55
and	21.34	22.86	1.52	0.36	2.70
and	24.38	25.91	1.52	0.36	3.90
and	28.96	30.48	1.52	0.53	12.70
and	45.72	47.24	1.52	0.58	22.20
and	53.34	54.86	1.52	0.29	7.70
and	60.96	62.48	1.52	0.30	7.30
and	83.82	85.34	1.52	0.32	8.70

R119	0.00	10.67	10.67	0.54	3.67
and	21.34	30.48	9.14	0.37	1.42

R120	21.34	22.86	1.52	0.28	1.70
and	48.77	51.82	3.05	0.85	0.60
and	57.91	59.44	1.52	0.26	0.60

R121	16.76	18.29	1.52	0.53	0.40
and	22.86	24.38	1.52	0.45	1.00
and	48.77	56.39	7.62	0.36	1.30
and	68.58	71.63	3.05	0.59	4.80

R122	28.96	64.01	35.05	0.35	1.92
-------------	-------	-------	-------	------	------

R123	4.57	6.10	1.52	3.03	1.70
and	13.72	32.00	18.29	2.88	3.14
including	19.81	21.34	1.52	25.30	16.90

R124	7.62	41.15	33.53	1.32	2.76
-------------	------	-------	-------	------	------

LA COLORADA PIT

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R71	0.00	6.10	6.10	0.37	11.53
and	103.63	115.82	12.19	0.85	0.86
and	137.16	143.26	6.10	4.94	15.85
including	137.16	138.68	1.52	3.34	14.30
including	138.68	140.21	1.52	4.93	13.90
including	140.21	141.73	1.52	8.42	23.60
including	141.73	143.26	1.52	3.07	11.60

R72	6.10	7.62	1.52	1.10	0.20
and	51.82	53.34	1.52	0.37	8.20
and	60.96	70.10	9.14	1.63	37.02
including	64.01	65.53	1.52	5.25	97.00
including	65.53	67.06	1.52	2.04	59.00

R73	4.57	15.24	10.67	1.17	48.15
including	12.19	13.72	1.53	3.04	100.00

LA COLORADA PROJECT - SUMMARY OF RESULTS

Cutoff 0.25ppm Au

Intervals were averaged with a limit of two consecutive barren samples

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
and	44.20	48.77	4.57	0.84	14.07
and	91.44	94.49	3.05	0.39	1.00

R74	13.72	21.34	7.62	1.15	43.75
and	137.16	141.73	4.57	4.37	145.83
including	137.16	138.68	1.52	12.21	419.80

R75	140.21	143.26	3.05	0.56	42.55
------------	--------	--------	------	------	-------

R89				NSM	NSM
------------	--	--	--	-----	-----

GRAN CENTRAL PIT

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R17	268.22	269.75	1.52	0.39	48.00
and	278.89	283.46	4.57	10.13	323.77
including	281.94	283.46	1.52	19.29	447.90

R76	0.00	12.19	12.19	0.33	9.26
and	22.86	30.48	7.62	0.40	3.10
and	91.44	105.16	13.72	1.25	17.82
including	92.96	94.49	1.52	5.67	97.00
and	141.73	144.78	3.05	0.98	41.00
and	150.88	158.50	7.62	0.56	2.14

R77	10.67	12.19	1.52	0.26	3.70
and	24.38	25.91	1.52	0.61	47.00
and	42.67	44.20	1.52	0.55	5.60
and	67.06	68.58	1.52	0.55	1.20
and	85.34	86.87	1.52	0.33	1.50

R78				NSM	NSM
------------	--	--	--	-----	-----

R79	0.00	15.24	15.24	0.40	7.82
and	25.91	27.43	1.52	0.44	11.70
and	38.10	41.15	3.05	0.82	4.05

R80	0.00	19.81	19.81	4.00	15.05
including	12.19	13.72	1.52	4.40	24.80
including	13.72	15.24	1.52	37.99	92.00
and	47.24	48.77	1.52	0.38	0.90

R128				NSM	NSM
-------------	--	--	--	-----	-----

WASTE DUMP/LEACH PAD

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R81	27.43	30.48	3.05	0.41	4.80
and	36.58	39.62	3.05	1.02	2.50

R82	6.10	30.48	24.38	0.30	5.38
------------	------	-------	-------	------	------

R83	3.05	15.24	12.19	0.47	11.93
------------	------	-------	-------	------	-------

R84				NSM	NSM
------------	--	--	--	-----	-----

LA COLORADA PROJECT - SUMMARY OF RESULTS

Cutoff 0.25ppm Au

Intervals were averaged with a limit of two consecutive barren samples

Drill_Hole	From_m	To_m	Length_m	Au_ppm	Ag_ppm
R85	0.00	15.24	15.24	0.44	41.34
R86	3.05	15.24	12.19	0.45	24.23
R87	0.00	3.05	3.05	0.75	20.60
and	12.19	15.24	3.05	0.94	54.00
R88	0.00	15.24	15.24	1.16	36.34